RESEARCH AND DEVELOPMENT, NEUCHATEL - QUARTERLY REPORT

DIVISION: NEW PRODUCT DEVELOPMENT

SUBJECT TITLE : PRODUCT INNOVATION

PERIOD COVERED: APRIL - JUNE 1990

WRITTEN BY : GAWAD-A (AHG)

KEYWORDS: project, cigarette, filter, papirossi, profile,

puff, tube-in-tow, triple, volga, lena

PROJECT VOLGA - NO 0164

Objective

To develop tube-in-tow filters in order to produce 1-mg/4-mg-and. 6-mg tar cigarettes (84 mm length) with improved initial puffs.

Status

Referring to our last quarterly report (Ref. 1), we produced two types of triple tube-in-tow filters at Intertaba. These filters have been produced to overcome the high variability of the initial smoke analyses of the dual tube-in-tow filter. Fig. 1 shows this filter design, which was also produced with non-perforated tube. Prototypes 47P and 48P were produced using these filters and standard PMS blend. Comparative data in Table 1 show that prototypes 47P and 48P have an improved coefficient of variation in TPM as compared to 35P (dual tube-in-tow filter). However, they are approaching the normal accepted levels of variation for standard brands.

Fig. 2 shows the improved puff profile of both prototypes 47P and 48P as compared to PMS and 35P (dual tube-in-tow filter). These two prototypes constructions were also produced with the Muratti Mild (Cortland) blend in order to subjectively evaluate this last version of triple tube-in-tow filter (56P and 57P). The taste evaluation by Panel A (Ref. 2) was as follows:

"Prototype 56P gives more satisfaction than 57P which subjectively has a higher RTD and its taste is thin. 56P gives a slight mouth coating after the initial puffs".

Plans

----The trial

The triple tube-in-tow filter has a perforated tube which will be used to produce a 4 mg tar cigarette prototype. This prototype will be evaluated versus current 56P (3.4-mg tar).

The triple tube-in-tow filter (as used in 56P) was produced in

RESEARCH AND DEVELOPMENT, NEUCHATEL - QUARTERLY REPORT

large quantities, in anticipation of a potential product test of 160'000 cigarettes.

References

^[1] Gawad-A, Quarterly report, October-December 1989.[2] Panel A, Project Volga, June 29, 1990.

RESEARCH AND DEVELOPMENT, NEUCHATEL - QUARTERLY REPORT

TABLE 1 - PROJECT VOLGA

SMOKING ANALYSIS RESULTS VARIATION TPM MG/CIG

		TPM	
	$\overline{\mathbf{x}}$	S	C. OV. %
Muratti Ambassador Ultra			
4 analysed (triple filter)	4.0	0.23	5.8
Muratti Ambassador KS			
10 analyses (dual filter)	11.7	0.57	5.0
Brunette Extra			
5 analyses (PSP filter)	7.6	0.56	7.4
Philip Morris Ultra			
4 analyses (dual filter)	1.2	0.15	12.9
Philip morris (PMS) Super Lights			
4 analysis (single filter)	5.4	0.25	5.8
Project Volga prototypes			
47P / 3 analyses (triple filter) 56P / 1 analysis (triple filter) 48P / (no perforation) 3 analyses (triple filter) 57P / 1 analysis (triple filter) 35P / 10 analyses	5.0 3.8 4.7 3.4 5.3	0.54 0.38 0.46 0.30 0.85	10.7 10.1 9.9 8.9 16.2
(dual tube-in-tow filter)			

RESEARCH AND DEVELOPMENT, NEUCHATEL - QUARTERLY REPORT

PROJECT LENA - NO 0082

Objective:

To develop a papirossi-like cigarette giving low-tar delivery.

Status

To achieve this, we produced a hollow carton tube at Intertaba in the format of 2 UP 100 mm. Each 50 mm mouth piece is attached to 34 mm cigarette rod as in Fig. 1. Prototype 2P was produced using this mouthpiece (carton tube) and a high-density tobacco rod made of total-blend expansion tobacco. The mouthpiece tube is then perforated by a lab macrolaser to achieve 36 % ventilation. Below are the smoke results and the physical parameters for this prototype.

	2P
[mm]	84/50/7.9
-	ZB 028
[mg/cig]	9.3
[mg/cig]	0.76
[mm]	54
[mm WG]	3.6
[%]	36
[nb/cig]	4.7
	[mg/cig] [mg/cig] [mm] [mm WG] [%]

Plans

Project Lena is completed.

Jana Than

FIGURE 1 - PROJECT VOLGA TRIPLE TUBE-IN-TOW FILTER




FIGURE 2 - PROJECT VOLGA PUFF-BY-PUFF-PROFILE




FIGURE 1 - PROJECT LENA

